

Leland Limited Inc. Product: Carbon Dioxide Revised on:May 29,2018

1. Identification

Product Identifiner Carbon Dioxide

Other means of Carbonic, Carbon Dioxide, Carbonic Anhydride, CO2, UN 1013

identification

Product use Synthetic, Analytical chemistry

Supplier Leland Limited, Inc.

> 2614 South Clinton Ave. South Plainfield, NJ 07080 1-908-668-1008 (9-5 EST)

Emergency calls

Hazmat Service Inc. 1-800-373-7542 (Domestic) Contract #1264 1-484-951-2432 (International)

2. Hazards Identification

OSHA/HCS status This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910. 1200).

Classification of the substance or mixture GHS label elements

Hazard pictograms

: Gases under pressure - Liquefied gas

Simple asphyxiant

Signal word Warning

Hazards statements Contains gas under pressure; may explode if heated

May cause frostbite

May displace oxygen and cause rapid suffocation

May increase respiration and heart rate

Precautionary statements

General Read and follow all Safety Data Sheets (SDS'S) before use. Read label

> before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. Close valve after each use and when empty. Use equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use a back flow preventative device in the piping. Use only equipment of compatible materials of construction. Always keep container in upright position.

Prevention : Use and store outdoors or in a well ventilated place.

: IF INHALED: Remove person to fresh air and keep comfortable for Response

breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Storage : Protect from sunlight. Protect from sunlight when ambient temperature

exceeds 52C/125F. Store in a well-ventilated place.

Disposal Dispose in accordance with all applicable regulations.

In addition to any other important health or physical hazards, this product Hazards not otherwise

may displace oxygen and cause rapid suffocation.

May cause frostbite.

classified



Leland Limited Inc.
Product: Carbon Dioxide
Revised on:May 29,2018

3. Composition, Information on Ingredients

Substance/Mixture : Substance Chemical Name : Carbon dioxide

Synonyms : Carbonic, Carbon Dioxide, Carbon Anhydride, CO2

CAS Number : 124-38-9

Content (vo%) : 99.5 % or more

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

4. First Aid Measures

Description of necessary first aid measures

Inhalation : Remove exposed person to fresh air and keep at rest in a position

comfortable for breathing. If not breathing, if breathing is irregular, or if respiratory arrest occurs, provide artificial respiration or oxygen by trained

personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen

tight clothing such as a collar, tie, belt or waistband.

Skin Contact : Carbon dioxide is harmless at atmospheric pressure.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash

clothing before reuse. Clean shoes thoroughly before reuse.

Eye Contact : Carbon dioxide is harmless at atmospheric pressure.

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

Ingestion : Since this product is a gas, refer to the inhalation section.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Inhalation : No known significant effects or critical hazards.

Skin Contact : No known significant effects or critical hazards.

Eye Contact : No known significant effects or critical hazards.

Frostbite : Try to warm up the frozen tissues and seek medical attention.

Ingestion : As this product is a gas, refer to the inhalation section.

Over-exposure signs/symptoms

Inhalation : No specific data.

Skin Contact : No specific data.

Eye Contact : No specific data.

Ingestion : No specific data.



Leland Limited Inc. Product: Carbon Dioxide Revised on:May 29,2018

Indication of immediate medical attention and special treatment needed, if necessary

: Treat symptomatically. Contact poison treatment specialist immediately if Notes to physician

large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable

training. It may be dangerous to the person providing aid to give

mouth-to-mouth resuscitation.

5. Fire Fighting Measures

Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

Specific hazards arising

from the chemical

Hazardous thermal decomposition products : Contains gas under pressure. In a fire or if heated, a pressure increase

will occur and the container may burst or explode.

: Decomposition products may include the following materials:

Carbon dioxide

Carbon monoxide

Special protective actions

for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal

risk or without suitable training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk.

Use water spray to keep fire-exposed containers cool.

Special protective

equipment for fire-fighters

Fire-fighters should wear appropriate equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

: No action shall be taken involving any personal risk or without suitable

training. Evacuate surrounding areas. Keep unnecessary and

unprotected personnel from entering. Avoid breathing gas. Provide adequate ventilation. Wear appropriate respirator when ventilation is

inadequate. Put on appropriate personal protective equipment.

If specialized clothing is required to deal with the spillage, take note of any For emergency responders

information in Section 8 on suitable and unsuitable materials. See also

the information in "For non-emergency personnel".

: Ensure emergency procedures to deal with accidental gas releases are in Environmental precautions

> place to avoid contamination of the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Methods and materials for containment and cleaning up

: Immediately contact emergency personnel. Stop leak if without risk. Small spill



Leland Limited Inc. Product: Carbon Dioxide Revised on:May 29,2018

Large spill

: Immediately contact emergency personnel. Stop leak if without risk. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and Storage

Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8).

Contains gas under pressure. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder movement.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also

Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in a segregated and approved area. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed and sealed until ready for use. Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Cylinder temperatures

should not exceed 52C (125F).

8. Exposure Controls and Personal Protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Carbon Dioxide	ACGIH TLV (United States, 3/2012). Oxygen Depletion
	[Asphyxiant].
	STEL: 54000 mg/m ³ 15 minutes.
	STEL: 30000 ppm 15 minutes.
	TWA: 9000 mg/m ³ 8 hours
	TWA: 5000 ppm 8 hours.
	NIOSH REL (United States, 1/2013).
	STEL: 54000 mg/m ³ 15 minutes.
	STEL: 30000 ppm 15 minutes.
	TWA: 9000 mg/m ³ 8 hours
	TWA: 5000 ppm 8 hours.
	OSHA PEL (United States, 6/2010).
	TWA: 9000 mg/m ³ 8 hours
	TWA: 5000 ppm 8 hours.
	OSHA PEL 1989 (United States, 3/1989).
	STEL: 54000 mg/m³ 15 minutes.



Leland Limited Inc. Product: Carbon Dioxide Revised on:May 29,2018

STEL: 30000 ppm 15 minutes.
TWA: 9000 mg/m ³ 8 hours
TWA: 5000 ppm 8 hours.

Appropriate engineering controls

Environmental exposure control

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking, using the lavatory and at the end of your

shift.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the

workstation location.

Eye/Face protection : Safety eyewear complying with an approved standard should be used

when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher

degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances,

the protection time of the gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based on

the task being performed and the risks involved and should be approved

by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should

be selected based on the task being performed and the risks involved and

should be approved by a specialist before handling this product.

Respiratory protection : Use a properly fitted, air-purifying or air-fed respirator complying with an

approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.



Leland Limited Inc. Product: Carbon Dioxide Revised on:May 29,2018

9. Physical and Chemical Properties

Appearance

Physical state : Gas at normal temperature and pressure

Color : Colorless Molecular weight : 44.01 g/mol

Molecular formula : C-O₂

Melting/freezing point : Sublimation temperature: -79C (-110.2F)

Critical temperature : 30.85C (87.5F)

Odor : Odorless
Odor threshold : Not available.
pH : Not available.

Flash point : [Product does not sustain combustion.]

Burning time : Not applicable.
Burning rate : Not applicable.
Evaporation rate : Not available.
Flammability (solid, gas) : Not available.
Lower and upper explosive : Not available.

(flammable) limits

Vapor pressure : 830 psig

Vapor density : 1.53 (Air = 1), Liquid Density@BP: Solid Density = 97.5 lb/ft³ (1562 kg/m³)

Specific Volume : $8.7719 \text{ ft}^3/\text{lb (} \text{ m}^3/\text{g)}$ Gas Density : $0.114 \text{ lb/ft}^3 (178.6 \text{ g/m}^3)$

Relative density : Not applicable.
Solubility : Not available.
Solubility in Water : Not available.

Partition coefficient: : 0.83

n-octanol/water

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

SADT : Not available.

Viscosity : Not applicable.

10. Stability and Reactivity

Reactivity : No specific test data related to reactivity is available for this product or its

ingredients.

Chemical stability : The product is stable.

Possibility of hazardous : Under normal conditions of storage and use, hazardous reactions will not

reactions occur.

Conditions to avoid : No specific data.

Hazardous decomposition : Under normal conditions of storage and use, hazardous decomposition

products products should not be produced.

Hazardous polymerization : Under normal conditions of storage and use, hazardous polymerization

will not occur.



Leland Limited Inc. Product: Carbon Dioxide Revised on:May 29,2018

11. Toxicological Information

Information on toxicological effects

Acute toxicity Not available. Not available. Irritation / Corrosion Not available. Sensitization Mutagenicity Not available. Not available. Carcinogenicity Not available. Reproductive toxicity Teratogenicity Not available. Specific target organ toxicity Not available.

(single exposure)

Specific target organ toxicity: Not available.

(repeated exposure)

Aspiration hazard : Not available. Information on the likely : Not available.

routes of exposure

Potential acute health effects

Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards.

Ingestion : Since this product is a gas, refer to the inhalation section.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available. Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available. Potential delayed effects : Not available.

Potential chronic health effects – Not available.

General : No known significant effects or critical hazards.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.
No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates : Not available.



Leland Limited Inc.
Product: Carbon Dioxide
Revised on:May 29,2018

12. Ecological Information

Toxicity : Not available. Persistence and : Not available.

degradability

Bioaccumulative potential

Product/Ingredient name	Log P _{ow}	BCF	Potential
Carbon Dioxide	0.83	-	low

Mobility is soil

Soil/Water partition : Not available.

coefficient (K_{OC})

Other adverse effects : No known significant effects or critical hazards.

13. Disposal Considerations

Discharge of Carbon Gra

Dioxide

Gradually release in open air.

Disposal of Cylinders : If gas remains in cylinders, release gas with proper equipment and

dispose of cylinders as incombustible waste.

For empty cylinders, check for a puncture hole and dispose of as

incombustible waste.

Do not dispose of cylinders without first checking that all gas has been

released.

14. Transport Information

DOT/IMDG : Carbon Dioxide

Shipping Name

UN Number : UN 1013 Hazard Class (Division) : 2 (2.2)

Placard (When required) : Nonflammable gas

NONFLAMMABLE GAS

Special Shipping : See CFR 49, 172.101, 173.306 for exceptions of labeling.

Information

IMDG/IMO : Receptacles, small containing gas (Gas Cartridge < 50ml)

Proper Shipping Name

UN Number : UN 2037 Hazard Class (Division) : 2 (2.2)

Special Provision : See Code191

IATA : Receptacles, small containing gas

Proper Shipping Name

UN Number : UN2037



Leland Limited Inc. Product: Carbon Dioxide Revised on:May 29,2018

Hazard Class (Division) : 2 (2.2)

Special Provision : See Code A98

15. Regulatory Information

The following selected regulatory requirements may apply to this product. Not all such requirements are identified. Users of this product are solely responsible for compliance with all applicable federal, state, and local regulations.

U.S. Federal Regulations : None of this products components are listed under SARA Sections

302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65),

CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process

safety plan.

SARA 311/312 : Fire hazard : No Hazardous Categories : Sudden release of pressure : Yes

Reactive : No Immediate (acute) health hazard : No Delayed (chronic) health hazard : No

State Regulations : Massachusetts : This material is listed.

New York : This material is not listed.
New Jersey : This material is listed.
Pennsylvania : This material is listed.
California : This material is listed.

Not regulated under CA Proposition 65.

This material is listed or exempted.

International Regulations : Canada inventory

Canada inventory

Australia inventory (AICS)

China inventory (IECSC)

Japan inventory

This material is listed or exempted.

Malaysia inventory Not determined.

(EHS Register)

New Zealand inventory of

Chemicals (NZIoC)

Philippines inventory This material is listed or exempted.

(PICCS)

Taiwan inventory (CSNN) Not determined.

16. Other Information

Hazard Rating Systems : NFPA Ratings HMIS Ratings

 $\begin{aligned} & \text{Health} = 2 & \text{Health} = 1 \\ & \text{Flammability} = 0 & \text{Flammability} = 0 \\ & \text{Reactivity} = 0 & \text{Physical hazards} = 3 \end{aligned}$

Special = SA

Key to abbreviations

ACGIH : American Conference of Governmental Industrial Hygienists

BCF : Bioconcentration Factor



Leland Limited Inc. Product: Carbon Dioxide Revised on:May 29,2018

CAS : Chemical Abstract Services

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act

CFR : United States Code of Federal Regulations

DOT : Department of Transportation

GHS : Globally Harmonized System of Classification and Labeling of Chemicals

IATA : International Air Transport Association
IMDG : International Maritime Dangerous Goods
IMO : International Maritime Organization

Log P_{ow} : Logarithm of the octanol/water partition coefficient
NIOSH : National Institute for Occupational Safety and Health
OSHA : Occupational Safety and Health Administration

STEL : Short-term Exposure Limit

SARA : Superfund Amendments and Reauthorization Act

TLV : Threshold Limit Value

TSCA : Toxic Substances Control Act
TWA : Time Weighted Average

Notice to reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee they are the only hazards that exist.