

## SAFETY DATA SHEET

## CARBON DIOXIDE in non-refillable gas cylinders

Page: 1 of 6

First edition: September 2013

Last modified: December 2014

INA.SD.001.e, Issue 02

### 1 Identification of the substance/mixture and of the company/undertaking

Product identifier			
Trade name	: Carbon dioxide in non-refillable gas	cylinders	
Safety data sheet no.	: INA.SD.001.e.02		
Chemical description of gas	: Carbon dioxide CAS-No.: 000124-38-9		
Chemical formula	: CO <sub>2</sub>		
UN number	: UN 1013		
Usage	: For various industrial applications Perform risk assessment prior to us	е.	
Company name	: iSi North America, Inc. 175 Route 46 West Fairfield, NJ 07004	Website: E-mail: Tel.:	www.isi.com/components info@isinorthamerica.com 1-973-227-2426
Emergency telephone number	: Chemtrec	Tel.:	1-800-424-9300

#### 2 Hazards identification

OSHA/HCS Status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910:1200)
Classification of the substa	nce or mixture
Classification	: Gases under pressure - Liquefied gas Simple Asphyxiant
Label elements	
Hazard pictograms	$\diamond$
Signal word	: Warning
Hazard statements	: Contains gas under pressure; may explode if heated.
	May displace oxygen and cause rapid suffocation.
	May increase respiration and heart rate.
	May cause nervous system damage.
	May cause frostbite.
<ul> <li>Precautionary statements</li> </ul>	: Store in a well ventilated place. Protect from direct sunlight.
Other hazards	
Other hazards	<ul> <li>May cause asphyxiation in high concentrations.</li> <li>Contact with solid CO<sub>2</sub> (dry ice) or liquid CO<sub>2</sub> may cause cold burns, sever injury and/or frostbite.</li> </ul>



## SAFETY DATA SHEET

CARBON DIOXIDE in non-refillable gas cylinders Page: 2 of 6

First edition: September 2013

Last modified: December 2014

INA.SD.001.e, Issue 02

3	Composition/information on ingredients					
	Substance/Preparation	: Substance				
	Substance name	CAS no.	Concentration		Classification	
	Carbon dioxide	124-38-9	>99%		Liq. gas (H280)	

Does not contain any other components or impurities which could affect the classification of this product. Material does not meet the criteria of a mixture.

4	First-aid measures	
	Inhalation	: Remove Victim to fresh air and keep at rest in a comfortable position for breathing. If breathing is irregular or difficult, provide artificial respiration or oxygen by trained personnel. If signs/symptoms continue, get medical attention.
	Eye Contact	: For exposure to cold vapor or solid carbon dioxide, immediately flush eyes thoroughly with warm water for at least 15 minutes. Hold eyelids open and away from eyeballs to ensure that all surfaces are flushed thoroughly. See a physician, preferably an ophthalmologist immediately.
	Skin Contact	: Flush contaminated skin with warm water. If massive exposure / frostbite has occurred, contact a physician immediately.
	Ingestion	: Ingestion is not seen as a possible method of exposure.

Notes to Physician: All treatments should be based on the observed signs and symptoms of the patient.

5	Fire-fighting measures	
	Flammable Properties	: Non-flammable.
	Suitable Extinguishing media	: Use extinguishing media appropriate for surrounding fire.
	Specific Risk / Hazards	: Contains gas / liquefied gas under pressure. Heat of fire can build pressure in the cylinder and cause it to rupture / explode.
	Specific methods	: Move away from cylinder and cool with water from a safe position.
	Special protective equipment for fire fighters	: Fire-fighters should wear the appropriate protective equipment and self contained breathing apparatus.

# 6 Accidental release measures Warning : High pressure liquid and gas. Rapid release f gaseous carbon dioxide can result in the formation of dry ice which can cause frostbite. Personnel precautions : Ensure adequate ventilation. Environmental precautions : Attempt to stop gas release, if possible without risk. Cleaning up methods : Ventilate area.



# SAFETY DATA SHEET

## CARBON DIOXIDE in non-refillable gas cylinders

Page: 3 of 6

First edition: September 2013

Last modified: December 2014

INA.SD.001.e, Issue 02

7	Handling and storage	
	Handling	<ul> <li>Only use equipment suitable for this product and its pressure and temperature specified.</li> <li>Never use direct flame or electrical heating devices to raise the pressure of a cylinder.</li> <li>Do not attempt to alter or modify the cylinder.</li> <li>Never attempt to refill an empty cylinder.</li> <li>Emerging gas will cause the cylinder to freeze.</li> <li>Do not touch a discharging or recently discharged cylinder with bare hands.</li> <li>Never attempt to transfer gases from one cylinder to another.</li> <li>Do not use cylinder as roller or support, or for any other purpose than to contain the gas as supplied.</li> <li>Do not subject cylinder to mechanical shocks which may cause damage to their integrity.</li> </ul>
	Storage	<ul> <li>Keep out of reach of children.</li> <li>Store cylinder in a well ventilated place at less than 50°C.</li> <li>Store cylinder in a location free from risk of fire and away from sources of heat and ignition.</li> <li>Periodically check cylinder for general conditions and leakage.</li> <li>Do not store cylinder in conditions likely to encourage corrosion.</li> </ul>

Personal protection	: Ensure adequate ventilation.		
	Wearing of protective gloves i	s recommen	asnes. ded.
Control Parameters:			
Exposure Limits	: Carbon dioxide:		
	ACIGH TLV (2012)	:	5,000 ppm TWA 30,000 ppm 15min STEL
	NIOSH REL (2013)	:	5,000 ppm TWA
			9,000 mg/m <sup>3</sup> TWA
			30,000 ppm SIEL 54,000 mg/m3 STEL
	OSHA PEL (2010)		5.000 ppm TWA
			9,000 mg/m <sup>3</sup> TWA

### 9 Physical and chemical characteristics

Physical state at 20°C Color Odor Odor Threshold pH Molecular weight	:	Gaseous Colorless Odorless Not available Not Available 44
Melting point	:	Sublimation point -109.3°F (-78.5°C)
Boiling point	:	Sublimation point -109.3°F (-78.5°C)
Boiling Range	:	No Applicable
Critical temperature	:	87.5°F (31°C)
Vapour pressure	:	830 psig @ 68°F (57.3bar @ 20°C)
Relative density, gas (air=1)	:	1.52
Relative density, liquid (water=1)	:	0.82
Solubility in water [mg/l]	:	2000

#### **iSi North America, Inc.** 175 Route 46 West Fairfield, NJ 07004 Tel.: 973-227-2426

		Page: 4 of 6	
	SAFETY DATA SHEET	First edition: September 2013	
		Last modified: December 2014	
	CARBON DIOXIDE		
North America, Inc. in i	non-refillable gas cylinders	INA.SD.001.e, Issue 02	
Plash point [voi.% in air]	Cas/vapour boavier than air. May accumul	ato in confined spaces	
	particularly at or below ground level.	ate in commed spaces,	
10 Stability and reactivity			
Reactivity	: Non Reactive		
Chemical Stability	· Under normal conditions bazardous reaction	ns will not occur	
Conditions to Avoid	High temperatures / excess heat		
Incompatible Materials	: Material is mildly acidic and will react with al carbonates and bicarbonates	kaline materials to form	
Hazardous decomposition product	<ul> <li>Under normal conditions, hazardous decom not be produced.</li> </ul>	position products should	
11 Toxicological information			
Acute Toxicity Aspiration Hazard Carcinogenicity Germ Cell Mutagenicity Skin Corrosion/Irritation Skin Sensitization STOT RE STOT SE Toxicity for Reproduction Respiratory Sensitization Serious Eye Damage/Irritation Routes of Entry/Exposure Inhalation	<ul> <li>Criteria not met</li> <li>Inhalation, Skin, Eye</li> <li>Carbon Dioxide gas is an asphyxiant. It is a affecting circulation and breathing. Moderat</li> </ul>	lso physiologically active, e concentrations may	
Skin Contact Eye Contact Swallowing	<ul> <li>cause headache, drowsiness, dizziness, stir throat, excitation, rapid breathing and hear r vomiting, and unconsciousness. Lack of oxy</li> <li>No harm expected from vapor. Cold gas, liq dioxide may cause severe frostbite</li> <li>No harm expected from vapor. Cold gas, liq dioxide may cause severe frostbite</li> <li>To harm expected from vapor. Cold gas, liq dioxide may cause severe frostbite</li> <li>This product is a gas at normal temperatures exposure.</li> </ul>	nging of the nose and ate, excess salivation, ygen can kill. quid and solid carbon quid and solid carbon s. Unlikely route of	
Effects of Chronic Exposure	: Under normal conditions of use, no harm exp	pected	
Carcinogenic Effects	: Carbon Dioxide is not listed by NTP, OSHA,	or IARC	
12 Ecological information			

Ecotoxicity	: No known effects
Persistance and Degradability	: Not Applicable
Bioaccumulative Potential	: Not Applicable

S S S S S			Page: 5 of 6		
		SAFETY DATA SHEET	First edition: September 2013		
			Last modified: December 2014		
Mai		CARBON DIOXIDE			
NO	th America, Inc.	in non-refillable gas cylinders	INA.30.001.e, 1330e 02		
	Mobility in Soil Other Adverse Effects	: Not applicable : Not Applicable			
13	Disposable considera	ations			
	General	: Do not discharge into any place where its dangerous. Release into the atmosphere in a well-ven Avoid releasing large quantities into the at Consult your supplier if you require advice	accumulation could be tilated place. mosphere.		
	Disposal methods	: Dispose of emptied cylinders only. Cylinders are made of recyclable steel and Emptied cylinders should therefore always Adhere to local waste regulations when di	<ul> <li>Dispose of emptied cylinders only.</li> <li>Cylinders are made of recyclable steel and hence a valuable resource.</li> <li>Emptied cylinders should therefore always be recycled.</li> <li>Adhere to local waste regulations when disposing of emptied cylinders.</li> </ul>		
14	Transport information	1			
	UN Number (DOT, DT	<b>G, IMDG, IATA)</b> : UN1013			
	Proper Shipping Nam	e : Carbon Dioxide			
	Transport Hazard Clas	ss : 2.2			
	Packing Group : Not Applicable				
	Environmental Hazards : Not Applicable				
	Shipping Labels	: Non-Flammable Gas			
	Placard (when require	d) : Non-Flammable Gas			
	Please refer to CFR 4	e (or Authority having jurisdiction) to determine information	on required for shipment		
15	Regulatory information	on			
	<u>Inventories</u> TSCA DSL	: Complies : Complies			
	<u>U.S. Federal Regulation</u> SARA 313	: Not subject to the reporting requirements code of Federal regulations, Part 372	of the Act and Title 40 of the		
	SARA 311/312 Hazard Acute Health Haz Chronic Health Ha Fire Hazard Sudden Release o	Categories (>99%) ard : Yes azard : No : No of Pressure Hazard : Yes			

No

1

: Not Applicable : Not Applicable

: Not Listed

iSi North America, Inc.
175 Route 46 West
Fairfield, NJ 07004
Tel.: 973-227-2426

Reactive Hazard

Clean Water Act (40 CFR 122.21 and 122.42)

SARA 302/304 SARA 304 RQ



#### 16 Other information

Hazardous Material Information (HMIS)	
Health	: 1
Flammability	: 0
Physical Hazards	: 3
National Fire Protection Associat Health Flammability Reactivity Special	tion : 2 : 0 : 0 : Simple asphyxiant

#### DISCLAIMER OF LIABILITY

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

-----End of document-----